Gplus

مانیتور لمسی جی پلاس

GSB-75MD


Gplus Interactive Touch Screen with 4K UHD Resolution And LED Backlight Panel

نمایشگر لمسی جی پلاس با
کیفیت تصویر
UHD و پنل LED



مانیتور تاچ اسکرین جی پلاس با 4 ابعاد مختلف 65، 75، 86 و 98 اینچ قابل تطبیق در محیط‌های متفاوت است.











نمایشگرهای لمسی جی پلاس جهت
سهولت تدریس و ارائه محتوا ساخته
شده‌اند و کلاس‌های درس و جلسات کاری
شما را پویا می‌سازند



Wireless Transfer

4K UHD رزولوشن
تکنولوژی لمسی چند کاربره
امکان اتصال وایرلس
ذخیره و اشتراک مطالب
امکان برگزاری Voting
برقراری تماس تصویری
فناوری تاچ مادون قرمز



Multi-platform



با نصب کامپیوتر یکپارچه OPS شما به صورت
همزمان قادر هستید از سیستم عامل اندروید 8 و
ویندوز استفاده کنید. همچنین قابلیت چند کاربره و
لمس تا 20 نقطه برای شما فراهم است
در مانیتور لمسی نرم افزارهای کاربردی مانند
E-Share و i Mirror تدریس و برگزاری جلسات اداری را
راحت‌تر کرده است



All-in-One (OPS optional)

Model	GSB-65MD	GSB-75MD	GSB-86MD
Panel			
LCD size	**65"**	**75"**	**86"**
Display area (cm)	142,84 x 80,35	164,96 x 92,79	189,50 x 106,59
Resolution		**4K UHD 2160p** 3840 x 2160 (Píxels)	
Aspect Ratio		16:9	
Brightness	400 cd/m^2	400 cd/m^2	400 cd/m^2
Contrast Ratio		1200:1	
Refresh Rate		60 Hz	
Panel Type		LCD with LED backlight	
Viewing Angle		178º (horizontal and vertical)	
Lifetime		> 3,000 hours	
TOUCH			
Touch points		20 points	
Technology		Infrared touch frame	
Accuracy		± 1 mm	
Response time		< 8 ms	
Glass		4mm Tempered Glass AG Anti-reflective; Resistance ≥7 Mohs	
Input method		Finger or stylus - Includes 2 styli (without battery)	
Operating System Included			
Operating System		Android	
Version		8.0 Oreo	
CPU		ARM 64bits; 4 Núcleos Cortex A73 + A53; 1.5 GHz	
RAM / ROM		2-3 GB / 16 GB	
APP		Whiteboard, PDF reader and MS Office files, Browser, File manager, etc…	
Wireless transfer		Compatible with Windows, iOS, MacOS, Android, Linux and Chromebook	
Interface			
Front ports		Public USB 2.0 x 2 / Touch-USB / HDMI	
Ports		HDMI-In x2 / HDMI-Out / VGA-In / YPbPr-In / PC-Audio / AV-In / AV-Out / Audio-Out SPDIF / Android USB 2.0 **x2** / Touch-USB / RS232-In / OPS / LAN RJ45 In	
	LAN RJ-45 Out	LAN RJ-45 Out	-
Connectivity			
Wifi		IEEE 802.11b/g/n/ac	
Bluetooth		Bluetooth 4.0 **(Optional)**	
Power supply			
Power		100 V ~ 240 V, 50-60 Hz	
Consumption	Min: ≤0.5W / Máx: <170W	Min: ≤0.5W / Máx: <400W	Min: ≤0.5W / Máx: <440W
Structure			
Dimensions (cm)	150,63 x 90,13 x 9,61	173,98 x 103,45 x 10,37	198,91 x 118,02 x 11,97
Packing dimensions (cm)	166 x 101 x 23	190 x 113 x 23	215 x 133 x 28
Display Weight	40 Kg	58 Kg	77 Kg
Weight with Packaging	50 Kg	67 Kg	92 Kg
Material		Aluminium	
Colour		Black	
Frame width (cm) (Up / Down / Right / Left)		2,81 / 4,81 / 2,81 / 2,81	
VESA	600 x 400 mm	600 x 400 mm **Wall mount included**	700 x 400 mm
Speaker		Built-in 15W **(x2)**	
Operating Systems Supported			
OS Compatible		Windows XP/7/8/10/11 / Android / Linux / Mac OS / Chrome OS *No Drivers / No calibration*	

فروشگاه اینترنتی پرو استور
021-88970214
www.projectorstore.ir