EB-980W



DATASHEET / BROCHURE

























Raise the bar with this bright and scalable, 3,800 lumens, WXGA projector, that offers multiple connectivity solutions and is simple to set up.

Optimise your students' learning potential with this bright WXGA projector that's capable of producing a large and scalable screen size. Excessive downtime is a thing of the past with this reliable projector that can deliver up to 10 years' worth of lessons before a replacement lamp is required or the air filter needs attention¹. It has a range of connectivity solutions and is fuss free to set up.

Excellent visibility for every student

With this WXGA projector ,content will be bright, vivid and clear, ensuring that everyone can engage with the lesson. Providing excellent visibility, this projector is scalable up to 300 inches and is bright even in high ambient lighting conditions. It's all thanks to the high 3,800-lumen output and 15,000:1 contrast ratio.

Minimal maintenance

When resources are limited, our reliable projectors and long-lasting lamps help to eliminate downtime and unnecessary service costs. Imagine what you could achieve with minimal interruptions - our projectors help to make that a reality with up to 10 years' worth of lessons before a replacement lamp is required or the air filter needs attention¹.

Easy set up

Every classroom is different so you need a projector that is simple to set up and position. With our wide 1.6x optical zoom and vertical/horizontal keystone correction, it's easy to get up and running quickly.

Utilise multiple devices

Capture your students' attention and nurture a collaborative environment with hassle-free connectivity solutions. With the iProjection app, it's easy to display content from PCs and smart devices². The split-screen function can be utilised to show content from multiple devices simultaneously, while the moderator function lets you review content before it is displayed.

KEY FEATURES

- Bright and vivid display
 WXGA projector offering 3,800 lumens and 15,000:1 contrast ratio
- Minimal maintenance
 10 years' worth of lessons before maintenance is required ¹
- Flexible installation

 Horizontal/vertical keystone correction
 and 1.6x optical zoom
- Enhanced connectivity
 Dual HDMI ports, MHL support, RJ-45
 Ethernet, optional Wi-Fi
- Collaborative features
 iProjection app, split-screen function,
 moderator function





PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology, RGB liquid crystal shutter

LCD Panel 0.59 inch with MLA (D9)

IMAGE

Color Light Output 3,800 Lumen- 2,410 Lumen (economy)

3,800 Lumen - 2,410 Lumen (economy) In accordance with ISO 21118:2012 White Light Output

WXGA, 1280 x 800, 16:10 Resolution

High Definition HD ready 16:10 Aspect Ratio Contrast Ratio 15,000 : 1 Light source Lamp

Lamp UHE, 210 W, 6,000 h durability, 12,000 h durability (economy mode)

Keystone Correction Auto vertical: ± 30 °, Manual horizontal ± 30 °

Colour Video Processing 10 Bits 2D Vertical Refresh Rate 50 Hz - 85 Hz Upto 1.07 billion colours

Colour Reproduction

OPTICAL

Lens

Throw Ratio 1.38 - 2.24:1 Manual, Factor: 1.6 Zoom Ontical

29 inches - 280 inches Projection Distance Wide/Tele 1.79 m - 2.92 m (60 inch screen

Projection Lens F Number 1.51 - 1.99 Projection Lens Focal Length 18.2 mm - 29.2 mm

Projection Lens Focus Manual Offset

CONNECTIVITY

USB Display Function 3 in 1: Image / Mouse / Sound

Interfaces $USB\ 2.0\ Type\ A,\ USB\ 2.0\ Type\ B,\ RS-232C,\ Wireless\ LAN\ IEEE\ 802.11b/g/n\ (optional),\ VGA\ in$

(2x), VGA out, HDMI in (2x), Composite in, Component in (2x), RGB in (2x), Stereo mini jack audio out, Stereo mini jack audio in (2x), Ethernet interface (100 Base-TX / 10 Base-T), MHL,

Epson iProjection App Ad-Hoc / Infrastructure

ADVANCED FEATURES

Video Color Modes

Security Kensington lock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password

2D Colour Modes Dynamic, Cinema, Presentation, sRGB, Blackboard

Other features AV Mute Slide, Automatic keystone correction, Built-in speaker, Direct Power on/off,

Document Camera Compatible, Easy OSD pre-setting, Horizontal and vertical keystone correction, MHL audio/video interface, Network projection, OSD copy function, PC Free, Quick Corner, Split-Screen-Function, Wireless LAN capable, iProjecton set-up by QR code

Blackboard, Cinema, Dynamic, Presentation, sRGB

Projector control via: AMX, Crestron, Control4, Extron

EB-980W

WHAT'S IN THE BOX

- Computer cable
- Main unit
- Power cable
- Remote control incl. batteries





PRODUCT SPECIFICATIONS

GENERAL

Power consumption 309 Watt, 227 Watt (economy), 0.2 Watt (standby)

Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz

Product dimensions 309 x 293 x 105 mm (Width x Depth x Height)

Product weight 3.1 kg

 Noise Level
 Normal: 37 dB (A) - Economy: 28 dB (A)

 Supported Temperature
 Operation 5° C - 35° C, Storage -10° C - 60° C

 Supported Humidity
 Operation 20% - 80%, Storage 10% - 90%

If the projector is suspended from a ceiling or wall mount and installed in an environment with heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke or bubbles are used for event staging, or where aroma oils are frequently burned, it can make certain parts of our products susceptible to a material degradation which over time could

break and cause the projector to drop from the ceiling.

If you are concerned about the environment in which your projector is installed, or if you have any other questions, please contact our support department and they can provide additional

assistance.

Included Software EasyMP Monitor, iProjection, EasyMP Network Projection
Options Document camera, Soft carry case, Wireless LAN unit

Loudspeaker 16 Watt

Room Type / Application Huddle space / Portable, Meeting room / Classroom

Positioning Ceiling Mounted, Desktop

Colour White / Grey

OTHER

Warranty 36 months Carry in, Lamp: 36 months or 1,000 h

Optional warranty extension available

EB-980W

WHAT'S IN THE BOX

- Computer cable
- Main unit
- Power cable
- Remote control incl. batteries



OPTIONAL ACCESSORIES

- Ceiling Mount (White) ELPMB23 V12H003B23
- Soft Carry Case ELPKS70 V12H001K70
- Wireless LAN Adapter ELPAP10 V12H731P01
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Active Speakers (2 x 15W) ELPSP02 V12H467040DA
- Air Filter ELPAF54 V13H134A54
- Safety Wire ELPWR01 V12H003W01
- Lamp ELPLP97 EB9XX/W49/X/E20/U50/EB-x05/x41/x42/EH-TW6 V13H010L97

LOGISTICS INFORMATION

SKU	V11H866041
EAN code	8715946642659
Country of Origin	Philippines
Layer	6 Units






For more information please contact:

Telephone: 01952 607111 (UK)+ 01 436 7742 (Republic of Ireland) E-mail: enquiries@epson.co.uk Chat: etalk.epson-europe.com Fax: 0871 222 6740 + Local call rate.

Web: www.epson.co.uk www.epson.ie



EB-980W

over 39 weeks of school use in a year.

2. 2-Requires iProjection App and an internet connection

- compatible with IOS, Android and Google Chromebook devices only, and file sharing limitations may apply.

