

EB-L1715S



Versatile 15,000-lumen 3LCD laser projector, offering outstanding fit and forget reliability as well as sharp, vivid imagery with SXGA+ resolution.

Exceptionally bright 15,000-lumen SXGA+ performance combines with rich, vivid colours to make the EB-L1715S installation laser projector an ideal option for large rooms and venues. As well as reliable fit and forget performance, it offers very flexible installation, creating a dedicated solution for scenarios where only maximum performance and durability will do.

Laser-sharp images

Ensure that your presentations, images and video pack a punch with the vivid, sharp projection offered by this 3LCD laser projector. Designed for larger venues, its high resolution SXGA+ images are vivid and bright, even in daylight, while inorganic phosphor wheel technology provides superior light and heat resistance to deliver excellent reliability that lasts for up to 83,000 hours¹.

Flexible positioning

Thanks to a wide range of motorised lenses, including optional ultra-short-throw (UST) lens, the projector benefits from true 360° installation flexibility, allowing it to be placed virtually anywhere - without loss of brightness or distortion of image. The projector also has a built-in camera to ensure accurate calibration and capture diagnostic images (this can be fully disabled to prevent remote access).

Versatile new software

All models in the EB-L1000 series can take advantage of free Epson Professional Projector Tool software from December 2017. It allows you to set up multi-projector installations straight out of the box, simply and quickly, as well as utilising advanced techniques such as projection-mapping and edge-blending.

Quick set-up

Get started quickly thanks to a lens memory function which stores projector settings such as image position, focus and zoom, for prompt access when projecting images in different aspect ratios, or using different lenses.

DATASHEET / BROCHURE



KEY FEATURES

- **Laser light source technology**
Outstanding brightness and colour, with fit and forget reliability
- **Sharp, clear imagery**
Outstanding clarity and detail for crisp images and readable text
- **Versatile new software**
Set up multiple projector installations and utilise advanced projection techniques
- **Flexible 360° installation**
True flexibility without distortion or loss of brightness
- **Added peace of mind**
Product comes with five-year, 20,000-hour warranty



EPSON®

PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System	3LCD Technology
LCD Panel	1.06 inch with C2 Fine

IMAGE

Color Light Output	15,000 Lumen- 10,500 Lumen (economy) In accordance with IDMS15.4
White Light Output	15,000 Lumen - 10,500 Lumen (economy) In accordance with ISO 21118:2020
Portrait Colour Light Output	15,000 lm
Portrait White Light Output	15,000 lm
Resolution	SXGA+ (14000 x 1050), 4:3
Aspect Ratio	4:3
Contrast Ratio	2,500,000 : 1
Native Contrast	2,000 : 1
Light source	Laser
Laser Light source	20,000 hours Durability High, 30,000 hours Durability Eco
Keystone Correction	Manual vertical: $\pm 45^\circ$, Manual horizontal $\pm 30^\circ$
Colour Reproduction	Upto 1.07 billion colours

OPTICAL

Throw Ratio	1.62 - 2.65:1
Zoom	Motorized, Factor: 1 - 1.6
Projection Lens Zoom Ratio	1.62 - 2.56 : 1
Lens	Optical
Lens Shift	Motorized - Vertical $\pm 55\%$, horizontal $\pm 19\%$
Lens position memory	10 positions
Screen Size	60 inches - 500 inches
Projection Distance Wide	1.9 m - 16.7 m
Projection Distance Tele	3.2 m - 27.1 m
Projection Distance Wide/Tele	1.93 m - 27.1 m
Projection Lens F Number	1.8 - 2.3
Projection Lens Focal Length	36 mm - 57.35 mm
Projection Lens Focus	Motorized
Interchangeable Lens	Yes

CONNECTIVITY

Interfaces	Jack plug in (3x), Jack plug out, HDBaseT, BNC in, HDMI in, DVI in, VGA out, VGA in, Ethernet interface (100 Base-TX / 10 Base-T), RS-232C, USB 2.0 Type B (Service Only), Wireless LAN b/g/g 25GHz (optional)
Epson iProjection App	Ad-Hoc / Infrastructure

ADVANCED FEATURES

Security	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection
Other features	Absolute Black, Auto Calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory
Video Color Modes	Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709
Projector control	via: AMX, Crestron, Extron

EB-L1715S

WHAT'S IN THE BOX

- Remote control incl. batteries
- Quick Start Guide
- Power and signal cable (3 m)
- Computer cable
- Cable cover
- CD Manual

PRODUCT SPECIFICATIONS

GENERAL

Power consumption	938 Watt - On mode power consumption (Normal) 1,024 Watt (Peak), 647 Watt (eco), 0.3 Watt (energy saving standby)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	586 x 492 x 211 mm (Width x Depth x Height)
Product weight	24 kg
Noise Level	Normal: 40 dB (A) - Economy: 32 dB (A) (4K enhancement OFF)
Supported Temperature	Storage -10° C - 60° C
Supported Humidity	Operation 20% - 80%, Storage 10% - 90%
Included Software	EasyMP Monitor, EasyMP Multi PC Projection
Options	HDBaseT Transmitter, Quick wireless USB key, Wireless LAN unit
Room Type / Application	Meeting room / Classroom, Projection Mapping, Rental / Staging, Visitor Attraction
Positioning	Ceiling Mounted
Colour	Black

OTHER

Warranty	60 months Carry in or 20,000 h Optional warranty extension available
----------	---

EB-L1715S

WHAT'S IN THE BOX

- Remote control incl. batteries
- Quick Start Guide
- Power and signal cable (3 m)
- Computer cable
- Cable cover
- CD Manual

OPTIONAL ACCESSORIES

- Air Filter - ELPAF51
V13H134A51
- HDBaseT Transmitter - ELPHD01
V12H547040
- Quick Wireless Connect USB key - ELPAP09
V12H005M09
- Wireless LAN Adapter - ELPAP10
V12H731P01
- Stacking Frame - ELPMB59 - EB-PU2200 Series (EVO)
V12H996B59
- Ceiling Mount - ELPMB68
V12H006AE0
- Extension Pole - ELPMB70 - For ELPMB68
V12H006AG0
- Truss Adaptor - ELPMB71 - For ELPMB68
V12H006AH0

EB-L1715S

OPTIONAL LENSES

- Lens - ELPLU03S - Short throw off axis 1 - EB-PU Series
V12H004UA3
- Lens - ELPLL08 - Long throw - EB-PU Series
V12H004L08
- Lens - ELPLM10 - Mid throw 3 - EB-PU Series
V12H004M0A
- Lens - ELPLM11 - Mid throw 4 - EB-PU Series
V12H004M0B
- Lens - ELPLM15 - Mid throw - EB-PU Series
V12H004M0F
- Lens - ELPLU04 - Short throw off axis 2 - EB-PU Series
V12H004U04
- Lens - ELPLW05 - Wide zoom 1 - EB-PU Series
V12H004W05
- Lens - ELPLW06 - Wide zoom 2 - EB-PU Series
V12H004W06
- Lens - ELPLX02 - UST Lens L1500/1700 Series
V12H004X02
- Lens - ELPLW08 - Wide throw - EB-PU2000 Series
V12H004W08

LOGISTICS INFORMATION

SKU	V11H890140
EAN code	8715946645988
Country of Origin	China
Layer	1 Units

* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. - Laser life of up to 83,000 hours in custom mode.

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

EPSON®