# **EB-PU1006W**



# The EB-PU1006W is a compact and versatile high brightness projector with optional interchangeable lenses and advanced installation features.

This highly versatile 6,000 lumens installation projector is sold as 'body only' and pairs seamlessly with Epson's existing lens family to deliver bright, true-to-life images in a wide variety of environments: from visitor attractions to lecture theatres, museums to meeting rooms. The high lumens EB-PU1006W offers WUXGA resolution with 4K enhancement, HDR and advanced installation features.

# Superior image quality

The 6,000 lumens EB-PU1006W projects clear whites, vivid details, deep blacks, defined shadows and high contrast imagery.

## Compact and lightweight

The compact size makes this projector more transportable and saves storage space, providing size and cost advantages to projector fleets. The unobtrusive design allows it to blend seamlessly into most environments.

# Interchangeable lens support

The EB-PU1006W accommodates different lenses to suit a wide range of projection environments, including a zero-offset ultra-short-throw lens. Epson supplies the projector as 'body only', without a lens, which puts the power to build the right projection solution, for the right application, in the hands of the user.

# Designed for installation agility

Produce large-scale, extremely bright displays, even as part of multi-projector installations where edge blending, stacking and lens flexibility is key. Epson Projector Professional Tool makes advanced installation techniques easy, such as projection mapping, while the optional external camera module (ELPEC01) uses built-in processing for PC-free geometry correction for stacking. The EB-PU1006W also features NFC for multi-projector set up, making diagnostics and installations easier using the Epson Projector Config Tool.

#### **DATASHEET / BROCHURE**

































# **KEY FEATURES**

- Compact and lightweight
   Unobtrusive and easier to transport
- Lens support
   Supports a wide selection of Epson interchangeable lenses
- Enhanced design
  Clean, simple, and discreet design.
- Image quality 6,000 lumens, 3LCD, WUXGA resolution with 4K enhancement
- Advanced installation tools
   A range of free software tools and an optional external camera module





### PRODUCT SPECIFICATIONS

**TECHNOLOGY** 

Projection System 3LCD Technology, RGB liquid crystal shutter

LCD Panel 0.76 inch with C2 Fine

IMAGE

Color Light Output 6,000 Lumen- 4,200 Lumen (economy) In accordance with IDMS15.4

White Light Output 6,000 Lumen - 4,200 Lumen (economy) In accordance with ISO 21118:2020

Resolution WUXGA
High Definition 4K enhancement
Aspect Ratio 16:10

Contrast Ratio Over 2,500,000 : 1

Native Contrast 2,000 : 1 Light source Laser

Laser Light source 20,000 hours Durability High, 30,000 hours Durability Eco

Keystone Correction Manual vertical: ± 45 °, Manual horizontal ± 30 °

Colour Reproduction Upto 1.07 billion colours

OPTICAL

Throw Ratio 0.35 - 10.11:1 Zoom Motorized Lens Shift varies by lens Screen Size varies by lens Projection Distance Wide )varies by lens Projection Distance Tele )varies by lens Projection Lens F Number varies by lens Projection Lens Focal Length varies by lens Projection Lens Focus Motorized Interchangeable Lens Yes Not included Standard Lens

CONNECTIVITY

Interfaces USB 2.0-A (2x), USB 2.0 Type B (Service Only), RS-232C, Ethernet interface (100 Base-TX / 10

Base-T), Wireless LAN IEEE 802.11a/b/g/n (optional), VGA in, DVI in, HDBaseT, Jack plug out, HDMI (HDCP 2.3), Near Field Communication (NFC), USB content playback, Remote

ADVANCED FEATURES

Security Kensington lock, Control panel lock, Padlock, Security cable hole, Wireless LAN unit lock,

Wireless LAN security, Password protection

Video Color Modes Cinema, Dynamic, Natural, Presentation, DICOM SIM, Multi Projection, BT709

OTHER

Warranty 36 months Carry in

Optional warranty extension available

### **EB-PU1006W**

# WHAT'S IN THE BOX

- Remote control incl. batteries
- Power cable
- Cable cover
- Lens connector cap
- User's Manual Set
- Warranty Documents



#### OPTIONAL ACCESSORIES

Air Filter - ELPAF46

V13H134A46

• Camera Unit - ELPEC01

V12HA46010

• External Air Filter - ELPAF63 - EB-PU1000 Series

V13H134AD0

• Adapter - ELPAP11 Wireless LAN (5GHz)

V12H005A01

• Ceiling Mount - ELPMB68

V12H006AE0

• Portrait Adaptor - ELPMB69 - For ELPMB68

V12H006AF0

• Extension Pole - ELPMB70 - For ELPMB68

V12H006AG0

• Truss Adaptor - ELPMB71 - For ELPMB68

V12H006AH0

### **OPTIONAL LENSES**

- Lens ELPLL08 Long throw EB-PU Series V12H004L08
- Lens ELPLM08 Mid throw 1 EB-PU1000 Series V12H004M08
- Lens ELPLM10 Mid throw 3 EB-PU Series V12H004M0A
- Lens ELPLM11 Mid throw 4 EB-PU Series V12H004M0B
- Lens ELPLM15 Mid throw EB-PU Series V12H004M0F
- Lens ELPLU04 Short throw off axis 2 EB-PU Series V12H004U04
- Lens ELPLW05 Wide zoom 1 EB-PU Series
- V12H004W05

   Lens ELPLU03S Short throw off axis 1 EB-PU Series
- V12H004UA3
- Lens ELPLX01WS UST EB-PU Series V12H004Y0A

### LOGISTICS INFORMATION

SKU	V11HA35940
EAN code	8715946697239
Country of Origin	Philippines



<sup>\*</sup> Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04 (Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147

83 Ireland 01 436 7742 Italy 02-660921 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702



**EB-PU1006W**