<section-header><section-header>

Deliver clear presentations throughout years of uninterrupted meetings on a large scalable WUXGA screen that can be positioned almost anywhere.

Whether delivering crisp, clear presentations or viewing video content, the stylishly-designed EB-U42 is ideally suited for the office or home. Enjoy a Full HD display with a high lumens output for all-round content visibility. Reliable technology creates peace of mind with reduced product intervention and maintenance.

Bright, vivid content on a large scalable screen

View content like never before and pick out even the finest detail with crisp, clear images with a screen size up to 300 inches. The combination of a high brightness, high contrast ratio of 15,000:1, and Full HD content provides superior image quality and a viewing experience that is easy on the eye, even in high ambient lighting conditions.

Years of uninterrupted meetings

With a lamp life and air filter maintence cycle of 10,000 hours in eco mode, users won't need to worry about maintenance for up to 5 years¹.

Installation and placement flexibility

Automatic vertical and manual horizontal keystone correction provide greater flexibility as to where the projector can be placed in the room for distortion-free images and the wide optical zoom adds to the flexibility.

Flexible connectivity for content sharing

Built-in Wi-Fi enables easy and intuitive access to the projector from compatible smart devices using the iProjection app². Display content with the freedom to move around and engage with your audience. Split screen capability allows content from more than one device to be displayed simultaneously without the need for two separate display devices.

KEY FEATURES

- Full HD bright images 3LCD technology and equally high white and colour light output
- Contrast ratio of 15,000:1 Deep, rich blacks and dense shadow areas
- Wireless connectivity Built-in Wi-Fi
- Low TCO Lamp and filter life of 10,000 hours
- Versatile and flexible control Project from different sources with HDMI input and mobile connectivity



EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY		
Projection System	3LCD Technology	
LCD Panel	0.67 inch with MLA (D10)	
IMAGE		
Color Light Output	3,600 Lumen- 2,235 Lumen (economy) In accordance with ISO 21118:2013	
White Light Output 3,600 Lumen - 2,235 Lumen (economy) In accordance with ISO 21118:2013		
Resolution WUXGA, 1920 x 1200, 16:10		
ligh Definition Full HD		
Aspect Ratio	pect Ratio 16:10	
Contrast Ratio	15,000 : 1	
Light source	Lamp	
Lamp	UHE, 210 W, 6,000 h durability, 10,000 h durability (economy mode)	
Keystone Correction	Auto vertical: \pm 30 °, Manual horizontal \pm 30 °	
Colour Video Processing	10 Bits	
2D Vertical Refresh Rate	192 Hz - 240 Hz	
Colour Reproduction	Upto 1.07 billion colours	
OPTICAL		
Throw Ratio	1.38 - 1.68:1	
Zoom	Manual, Factor: 1.2	
Lens	Optical	
Screen Size	30 inches - 300 inches	
Projection Distance Wide/Tele	e 1.8 m - 2.17 m (60 inch screen	
Projection Lens F Number	1.5 - 1.71	
Projection Lens Focal Length	20.42 mm - 24.5 mm	
Projection Lens Focus	Manual	
Offset	10:1	
CONNECTIVITY		
USB Display Function	3 in 1: Image / Mouse / Sound	
Interfaces	USB 2.0 Type A, USB 2.0 Type B, Wireless LAN IEEE 802.11b/g/n, VGA in, HDMI in (2x),	
	Composite in, MHL, Cinch audio in, Miracast	
Epson iProjection App	Ad-Hoc / Infrastructure	
ADVANCED FEATURES		
Security	Kensington lock, Padlock, Security cable hole, Wireless LAN security, Password protection	
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard	
Other features	AV Mute Slide, Built-in speaker, Direct Power on/off, Document Camera Compatible,	
	Horizontal and vertical keystone correction, Long lamp life, MHL audio/video interface,	
	Network projection, OSD copy function, PC Free, Split-Screen-Function, Wireless LAN	
	capable, iProjecton set-up by QR code	
Video Color Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB	

EB-U42

WHAT'S IN THE BOX

- Computer cable
- Main unit
- Power cable
- Remote control incl. batteries
- User's Manual Set
- Warranty Documents
- Carrying Case



EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

GENERAL		
Power consumption	298 Watt, 219 Watt (economy), 0.2 Watt (standby)	V
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz	_
Product dimensions	302 x 252 x 92 mm (Width x Depth x Height)	•
Product weight 2.8 kg		•
Noise Level Normal: 37 dB (A) - Economy: 28 dB (A)		_
Supported Temperature Operation 5° C - 35° C, Storage -10° C - 60° C		
Supported Humidity	Operation 20% - 80%, Storage 10% - 90%	•
	If the projector is suspended from a ceiling or wall mount and installed in an environment with	•
	heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke	_
	or bubbles are used for event staging, or where aroma oils are frequently burned, it can make	
	certain parts of our products susceptible to a material degradation which over time could	•
	break and cause the projector to drop from the ceiling.	
	If you are concerned about the environment in which your projector is installed, or if you have	
	any other questions, please contact our support department and they can provide additional	
	assistance.	
Included Software	EasyMP Monitor, iProjection, EasyMP Network Projection	
Options	Document camera	
Loudspeaker	2 Watt	
Room Type / Application	Boardroom, Huddle space / Portable, Meeting room / Classroom	
Positioning	Ceiling Mounted, Desktop	
Colour	White / Black	
TCO Certified	For further information relating to TCO Certified please visit	
	https://tcocertified.com/files/certification/Information-document-for-end-users.pdf	
OTHER		
Warranty	36 months Carry in, Lamp: 36 months or 1,000 h	

Optional warranty extension available

EB-U42

WHAT'S IN THE BOX

- Computer cable
- Main unit
- Power cable
- Remote control incl. batteries
- User's Manual Set
- Warranty Documents
- Carrying Case



OPTIONAL ACCESSORIES

- Soft Carry Case ELPKS69 EB-x05/x41/x42, EH-TW6 series V12H001K69
- ELPLP96
- V13H010L96 • Air Filter - ELPAF32
- V13H134A32
- Ceiling Mount (White) ELPMB23 V12H003B23
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Active Speakers (2 x 15W) ELPSP02 V12H467040DA
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Safety Wire ELPWR01 V12H003W01
- Lamp ELPLP97 EB9XX/W49/X/E20/U50 (2020 prior models) V13H010L97

LOGISTICS INFORMATION

SKU	V11H846040 V11H846041
EAN code	8715946639611
Country of Origin	Philippines
Layer	6 Units

EB-U42



