

DISCONTINUED

# PowerLite L615U Wireless WUXGA 3LCD Laser Projector

---



## Powerful, compact WUXGA laser projector with 6,000 lumens plus lens shift.

The compact, affordable PowerLite L615U laser projector delivers powerful performance for education and business applications. Get bright, vivid images with 6,000 lumens color/white brightness<sup>1</sup>. This wireless projector also offers WUXGA resolution and Full HD support. Featuring breakthrough laser technology, it delivers a laser light source of up to 20,000 hours<sup>2</sup>. And, it offers virtually maintenance-free operation with no lamps. Plus, it features a Dynamic contrast ratio of up to 2,500,000:1. It also includes manual lens shift, wireless networking with enterprise-level security, Miracast®, and advanced installation features.

**Model:** V11H901120

Overview

Bright, vivid color

Full HD, widescreen  
images up to 500"

Breakthrough laser  
technology

6,000 lumens color/white  
brightness<sup>1</sup>.

WUXGA resolution (1920 x  
1200); Full HD 1080p support

features a laser light source of up  
to 20,000 hours<sup>2</sup>; plus, Instant  
ON/OFF

Virtually maintenance-  
free operation  
no lamps

Extraordinary sharpness  
and detail  
up to 2,500,000:1 Dynamic  
contrast ratio

Flexible installation  
up to ±50 percent vertical and  
±20 percent horizontal manual  
lens shift

- **Integrated wireless networking with enterprise-level security** — plus wireless content sharing with Epson iProjection™<sup>3</sup>; and wireless mirroring with Miracast for Android™/Windows® 8.1+ devices, or AirPlay® for iOS® devices (requires Apple TV®)
- **Advanced installation features** — 360-degree flexibility and geometric correction tools such as horizontal and vertical keystone, arc correction, Quick Corner® and more
- **Robust connectivity** — supports HDBaseT™, 2x HDMI®, VGA, RJ-45, stereo mini and control management tools
- **Constant Brightness Mode**<sup>4</sup> — fine-tune the brightness setting to help maximize run time

## Eco Features

- RoHS compliant
- Recyclable product<sup>5</sup>
- Epson America, Inc. is a SmartWay™ Transport Partner<sup>6</sup>

### Better Products for a Better Future™

For more information on Epson's environmental programs, go to [www.epson.com/environment](http://www.epson.com/environment)

## IMPORTANT SAFETY INFORMATION ABOUT USAGE ENVIRONMENTS FOR MOUNTED PROJECTORS ►

## What's In The Box:

- PowerLite L615U Projector
- Power cord
- Computer cable (VGA)
- Remote control and batteries
- Quick setup poster
- Cable cover

---

## Specifications

## Specifications Projector:

**Projection System:**

RGB Liquid Crystal Shutter Projection System

**Projection Method:**

Front, Front/Ceiling, Rear, Rear/Ceiling

**LCD Screen:**0.67" (D10 with C<sup>2</sup>Fine™)**Driving Method:**

Poly-silicon TFT Active Matrix

**Pixel Number:**

2,304,000 pixels (1920 x 1200) x 3

**Color Brightness - Color Light Output:**6,000 lumens<sup>1</sup>**White Brightness - White Light Output:**6,000 lumens<sup>1</sup>**Aspect Ratio:**

16:10

**Resolution:**

1920 x 1200 (WUXGA)

**Throw Ratio Range:**

1.35–2.20

**Size - projected distance:**

80" screen: 2.33–3.78 m

**Keystone Correction:**

Vertical: ±30 degrees; Horizontal: ±30 degrees

**Contrast Ratio:**

Up to 2,500,000:1

**Color Processing:**

10 bit

**Color Reproduction:**

Up to 1.07 billion colors

**Light Source Life:**

Normal: 20,000 hours; Quiet: 20,000 hours; Extended: 30,000 hours

**Illumination Technology:**

Laser Diode

## Effective Scanning Frequency Range:

---

**Pixel Clock:**

Analog: 13.5–162 MHz (up to UXGA 60 Hz)

Digital: 13.5–162 MHz (up to UXGA 60 Hz)

**Horizontal:**

Analog: 15–92 kHz

Digital: 15–75 kHz

**Vertical:**

Analog: 50–85 Hz

Digital: 24/30/50/60 Hz

## Projection Lens:

---

**Type:**

Optical Zoom (Manual)/Focus (Manual)

**F-number:**

1.5–1.7

**Screen Size:**

Zoom: Wide: 50"–500" [1.44–14.76 m]; Zoom: Tele: 50"–500" [2.35–23.84 m]

**Focal Length:**

20.0–31.8 mm

**Zoom Ratio:**

1–1.6

**Lens Cover:**

Lens cap (without string)

## Projector Details:

---

**Interfaces:**

- 1x HDBaseT
- 2x HDMI (1x MHL)
- Computer: 1x D-sub 15 pin
- 1x Control I/O: RS-232C D-sub 9 pin
- USB-I/O: Type A 1x; Type B 1x
- Wired LAN RJ45
- Wireless LAN Built-in
- Audio in (stereo): 2x
- Audio out (stereo): 1x

**Fan Noise:**

38 dB (Normal Mode), 28 dB (ECO Mode)

## Projector Dimensions:

---

**Including feet:**

17.32" x 11.97" x 5.35" (W x D x H)

**Excluding feet:**

17.32" x 11.97" x 4.73" (W x D x H)

**Weight - with standard lens:**

Approx. 18.7 lb/8.45 kg

## Remote Control:

---

**Operating Distance:**

Operating Angle:

- Front: Right/Left: ±60 degrees; Upper/Lower: +30 to -20 degrees
- Rear: Right/Left: ±30 degrees; Upper/Lower: +50 to +10 degrees

Power:


Power Supply Voltage:

100 – 240 V ±10%, 50/60 Hz AC


Power Consumption:

Normal: 370 W; Quiet: 276 W; Networked Standby 2.0 W; Energy Saving: 0.3 W


Accessories




Accessories




Air Filters



Cables



Control Systems



Document Cameras

Support

Need Support?

Get the latest drivers, FAQs, manuals and more for your Epson product.

Recommended Links:

- Drivers & Downloads
- FAQs
- Manuals and Warranty
- Registration
- Contact Support

---

## Notes:

<sup>1</sup> Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118.

<sup>2</sup> No required maintenance for the light source up to 20,000 hours. Approximate time until brightness decreases 50% from first usage. Measured by acceleration test assuming use of 0.04 - 0.20 mg/m<sup>3</sup> of particulate matter. Time varies depending on usage conditions and environment. Replacement of parts other than the light source may be required in a shorter period. The projector has a standard limited warranty of 3 years.

<sup>3</sup> For wireless functionality, including via the Epson iProjection App, the projector must be configured on a network, either through the Ethernet port on the projector (check model specifications for availability) or via a wireless connection. Check your owner's manual to determine if a wireless LAN module must be purchased separately to enable a wireless connection. Not all Epson projectors are able to be networked. The Epson iProjection App does not support all files and formats. See [www.epson.com](http://www.epson.com) for details.

<sup>4</sup> Color light output and white light output (lumens) in Constant Brightness Mode can be lower than the maximum output achievable when the Constant Brightness Mode is off. Actual run time may vary depending on environmental conditions, usage and settings.

<sup>5</sup> For convenient and reasonable recycling options, visit [www.epson.com/recycle](http://www.epson.com/recycle)

<sup>6</sup> SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

## IMPORTANT SAFETY INFORMATION ABOUT USAGE ENVIRONMENTS FOR MOUNTED PROJECTORS ►

© 2021 Epson America, Inc.